

# Kansas Agricultural Experiment Station Research Reports

---

Volume 1  
Issue 7 *Swine Day*

Article 43

---

January 2015

## Swine Day 2015 Supplements

R. D. Goodband  
*Kansas State University, Manhattan, goodband@k-state.edu*

M. D. Tokach  
*Kansas State University, Manhattan, mtokach@k-state.edu*

S. S. Dritz  
*Kansas State University, Manhattan, dritz@k-state.edu*

*See next page for additional authors*

Follow this and additional works at: <https://newprairiepress.org/kaesrr>



Part of the [Other Animal Sciences Commons](#)

---

### Recommended Citation

Goodband, R. D.; Tokach, M. D.; Dritz, S. S.; DeRouchey, J. M.; and Woodworth, J. C. (2015) "Swine Day 2015 Supplements," *Kansas Agricultural Experiment Station Research Reports*: Vol. 1: Iss. 7. <https://doi.org/10.4148/2378-5977.1148>

This report is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Kansas Agricultural Experiment Station Research Reports by an authorized administrator of New Prairie Press. Copyright January 2015 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned. K-State Research and Extension is an equal opportunity provider and employer.



---

## Swine Day 2015 Supplements

### Abstract

It is with great pleasure that we present the 2015 Swine Industry Day Report of Progress. This report contains updates and summaries of applied and basic research conducted at Kansas State University during the past year. We hope that the information will be of benefit as we attempt to meet the needs of the Kansas swine industry.

### Keywords

swine

### Creative Commons License



This work is licensed under a [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/).

### Authors

R. D. Goodband, M. D. Tokach, S. S. Dritz, J. M. DeRouchey, and J. C. Woodworth

---

## Foreword

It is with great pleasure that we present the 2015 Swine Industry Day Report of Progress. This report contains updates and summaries of applied and basic research conducted at Kansas State University during the past year. We hope that the information will be of benefit as we attempt to meet the needs of the Kansas swine industry.

### *2015 Swine Day Report of Progress Editors*

Bob Goodband, Mike Tokach, Steve Dritz, Joel DeRouchey, and Jason Woodworth

## Standard Abbreviations

ADG	=	average daily gain	Mcal	=	megacalorie(s)
ADF	=	acid detergent fiber	ME	=	metabolizable energy
ADFI	=	average daily feed intake	mEq	=	milliequivalent(s)
AI	=	artificial insemination	min	=	minute(s)
avg	=	average	mg	=	milligram(s)
bu	=	bushel	mL	=	cc (cubic centimeters)
BW	=	body weight	mm	=	millimeter(s)
cm	=	centimeter(s)	mo	=	month(s)
CP	=	crude protein	MUFA	=	monounsaturated fatty acid
CV	=	coefficient of variation	N	=	nitrogen
cwt	=	100 lb	NE	=	net energy
d	=	day(s)	NDF	=	neutral detergent fiber
DE	=	digestible energy	NFE	=	nitrogen-free extract
DM	=	dry matter	ng	=	nanogram(s), .001 Fg
DMI	=	dry matter intake	no.	=	number
F/G	=	feed efficiency	NRC	=	National Research Council
ft	=	foot(feet)	ppb	=	parts per billion
ft <sup>2</sup>	=	square foot(feet)	ppm	=	parts per million
g	=	gram(s)	psi	=	pounds per square inch
µg	=	microgram(s), .001 mg	PUFA	=	polyunsaturated fatty acid
gal	=	gallon(s)	SD	=	standard deviation
GE	=	gross energy	sec	=	second(s)
h	=	hour(s)	SE	=	standard error
HCW	=	hot carcass weight	SEM	=	standard error of the mean
in	=	inch(es)	SEW	=	segregated early weaning
IU	=	international unit(s)	SFA	=	saturated fatty acid
kg	=	kilogram(s)	UFA	=	unsaturated fatty acid
kcal	=	kilocalorie(s)	wk	=	week(s)
kWh	=	kilowatt hour(s)	wt	=	weight(s)
lb	=	pound(s)	yr	=	year(s)

## K-State Vitamin and Trace Mineral Premixes

Diets listed in this report contain the following vitamin and trace mineral premixes unless otherwise specified.

- Trace mineral premix: Each pound of premix contains 12 g Mn, 50 g Fe, 50 g Zn, 5 g Cu, 90 mg I, and 90 mg Se.
- Vitamin premix: Each pound of premix contains 2,000,000 IU vitamin A, 300,000 IU vitamin D<sub>3</sub>, 8,000 IU vitamin E, 800 mg menadione, 1,500 mg riboflavin, 5,000 mg pantothenic acid, 9,000 mg niacin, and 7 mg vitamin B<sub>12</sub>.
- Sow add pack: Each pound of premix contains 100,000 mg choline, 40 mg biotin, 300 mg folic acid, and 900 mg pyridoxine.

### *Note*

Some of the research reported here was carried out under special FDA clearances that apply only to investigational uses at approved research institutions. Materials that require FDA clearances may be used in the field only at the levels and for the use specified in that clearance.

## Biological Variability and Chances of Error

Variability among individual animals in an experiment leads to problems in interpreting the results. Animals on treatment X may have higher average daily gains than those on treatment Y, but variability within treatments may indicate that the differences in production between X and Y were not the result of the treatment alone. Statistical analysis allows us to calculate the probability that such differences are from treatment rather than from chance.

In some of the articles herein, you will see the notation " $P < 0.05$ ." That means the probability of the differences resulting from chance is less than 5%. If two averages are said to be "significantly different," the probability is less than 5% that the difference is from chance, or the probability exceeds 95% that the difference resulted from the treatments applied.

Some papers report correlations or measures of the relationship between traits. The relationship may be positive (both traits tend to get larger or smaller together) or negative (as one trait gets larger, the other gets smaller). A perfect correlation is one (+1 or -1). If there is no relationship, the correlation is zero.

In other papers, you may see an average given as  $2.5 \pm 0.1$ . The 2.5 is the average; 0.1 is the "standard error." The standard error is calculated to be 68% certain that the real average (with unlimited number of animals) would fall within one standard error from the average, in this case between 2.4 and 2.6.

Using many animals per treatment, replicating treatments several times, and using uniform animals increase the probability of finding real differences when they exist. Statistical analysis allows more valid interpretation of the results, regardless of the number of animals. In all the research reported herein, statistical analyses are included to increase the confidence you can place in the results.

## Index of Key Words

adsorbents	floor space	phytase stability
amino acid	formaldehyde	pig
amino acid ratio	gene expression	pork
analysis	gilt	prediction equation
antibiotics	grain	protein quality
bacon	grinding cost	Ractopamine
bioassay	growth	roller mill
birth weight	growth performance	sequencing
boar exposure	intermittent suckling	sodium metabisulfite
by-product	iodine value	sorghum
carcass fat quality	lactational estrus	sow
chemical treatment	litter separation	sow nutrition
conditioning temperature	lysine	space allowance
copper	lysine requirement	split-weaning
copper sulfate	mash	spray-dried bovine plasma
corn	meal	stocking density
creep feeding	method	survey
crystalline AA	methodology	swabs
decontamination	minimum infectious dose	swine
deoxynivalenol	mycotoxins	swine industry
dried milk	nursery pig	thermal mitigation
energy	oregano	topping
extrude	particle size	trace minerals
feed	particle size analysis	tribasic copper chloride
feed line	PCR	tryptophan
feed matrix	PDI	ulcer
feed mill	PEDV	valine
feed preference	pellet	vitamins
feed safety	pelleting	vitamin D
feed truck	pellet size	zinc
finer	performance	25(OH)D <sub>3</sub>
finishing pig	phosphorus	3-sieve
fish meal	phytase	

## Acknowledgments

Appreciation is expressed to these organizations for assisting with swine research at Kansas State University.

Abilene Animal Hospital, Abilene, KS	Kansas Swine Alliance, Abilene, KS
Advanced Ag Products, Hudson, SD	Kemin Industries, Inc., Des Moines, IA
Ajinomoto Heartland LLC, Chicago, IL	Livestock and Meat Industry Council, Manhattan, KS
Anitox Corporation, Lawrenceville, GA	Micronutrients, Indianapolis, IN
Dave and Lois Baier, Abilene, KS	Midori USA, Cambridge, MA
Biomim USA, San Antonio, TX	Midwest Livestock Systems, Inc., Beatrice, NE
DFS Inc., Newell, IA	National Pork Board, Des Moines, IA
DNA Genetics, Columbus, NE	Natural Foods Holdings, Sioux City, IA
DSM Nutritional Products, Parsippany, NJ	New Fashion Pork, Jackson, MN
Elanco Animal Health, Indianapolis, IN	New Horizon Farms, Pipestone, MN
Farmland Foods LLC, Crete, NE	Novus International, St. Charles, MO
Feedlogic Corporation, Willmar, MN	Nutraferma, Dakota Dunes, SD
Gourley Bros., Webster City, IA	PIC USA, Hendersonville, TN
Holden Farms, Northfield, MN	Purco, Edgerton, MN
Hord Livestock Company, Bucyrus, OH	Tech-Mix, Stewart, MN
Hubbard Feeds, Mankato, MN	Triumph Foods, St. Joseph, MO
ILC Resources, Urbandale, IA	United Sorghum Checkoff Program, Lubbock, TX
International Ingredient Corporation, St. Louis, MO	USDA National Institute of Food and Agriculture, Washington, D.C.
JYGA Technologies, St. Nicolas, Quebec, Canada	Zinpro Corp., Eden Prairie, MN
Kalmbach Feeds, Upper Sandusky, OH	Zoltenko Farms Inc., Hardy, NE
Kansas Pork Association, Manhattan, KS	



We especially appreciate the assistance and dedication of Kansas State University employees Duane Baughman, Frank Jennings, Mark Nelson, Terry Gugle, Joel McAtee, Chance Fiehler, and Theresa Rathbun.

Appreciation is also expressed to: Allan Morris, Richard Brobjerg, Heath Houselog, Marty Heintz, Craig Steck, and Bob Taubert, New Horizon Farms, Pipestone, MN, for their dedicated support.

Appreciation is expressed to Triumph Foods LLC, St. Joseph, MO, for collecting jowl fat and conducting the iodine value analysis and to Jerry Lehenbauer, David Donovan, Ann Smith, Brad Knadler, and Brittany Kimler for technical assistance.

### **Swine Industry Day Committee**

Duane Davis

Bob Goodband

Mike Tokach

Joel DeRouchey

Joe Hancock

Jason Woodworth

Steve Dritz

Jim Nelssen

## The Livestock and Meat Industry Council, Inc.

The Livestock and Meat Industry Council, Inc. (LMIC) is a nonprofit charitable organization supporting animal agriculture research, teaching, and education. This is accomplished through the support of individuals and businesses that make LMIC a part of their charitable giving.

Tax-deductible contributions can be made through gifts of cash, appreciated securities, real estate, life insurance, charitable remainder trusts, and bequests as well as many other forms of planned giving. LMIC can also receive gifts of livestock, machinery, or equipment. These types of gifts, known as gifts-in-kind, allow the donor to be eligible for a tax benefit based on the appraised value of the gift.

Since its inception in 1970, LMIC has provided student scholarships, research assistance, capital improvements, land, buildings, and equipment to support students, faculty, and the industry of animal agriculture. If you would like to be a part of this mission or would like additional information, please contact the Livestock and Meat Industry Council/Animal Sciences and Industry, Weber Hall, Manhattan, Kansas 66506 or call 785-532-1227.

### LMIC Board Members

Kyle Bauer	Greg Henderson	Jan Lyons
David Clawson	Roy Henry	Bill Miller
Joe Downey	Patsy Houghton	Stanton O'Neil
Galen Fink	Virgil Huseman	Tom Perrier
Mark Gardiner	Justin Janssen	Rich Porter
Craig Good	Larry Jones	Ken Stielow
Lyle Gray	Mark Knight	Warren Weibert
Ken Grecian	Pat Koons	
Frank Harper	Kelly Lechtenberg	

### Royal Board Members

Dell Allen	Bernie Hansen	Phil Phar
Jerry Bohn	Steven Hunt	Harland Priddle
Richard Chase	Steve Irsik	Lee Reeve
Calvin Drake	Larry Jones	Don Smith
Stan Fansher	Kenny Knight	Mikel Stout
Randy Fisher	Gina Miller	Kathleen Strunk
Sam Hands	Andrew Murphy	Duane Walker