Neurospora tetrasperma bibliography - Additions

David D. Perkins
Stanford University

Follow this and additional works at: <https://newprairiepress.org/fgr>

This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

Recommended Citation

Perkins, D. D. (2003) "Neurospora tetrasperma bibliography - Additions," *Fungal Genetics Reports*: Vol. 50, Article 14. <https://doi.org/10.4148/1941-4765.1160>

This Special Paper is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

Neurospora tetrasperma bibliography - Additions

Abstract

During the evolutionary divergence of *N. tetrasperma* from the eight-spored *Neurospora* species, ascus development was reprogrammed with the result that each of the four large ascospores is heterokaryotic, containing nuclei of both mating types, and germlings are self-fertile. Unique features of genome organization, cell biology, and population structure have attracted investigators to use this pseudohomothallic, four-spored species for a wide range of studies. A bibliography listing 164 publications was published in 1994 in *Fungal Genetics Newsletter* 41:72-78. Eighty-six additional publications are listed here. In addition to recent papers, these include some theses, abstracts, and papers that were omitted from the previous list.

***Neurospora tetrasperma* bibliography – Additions**

David D. Perkins - Department of Biological Sciences, Stanford University, Stanford, CA 94305-5020.

Fungal Genet. Newsl. 50:24-26

During the evolutionary divergence of *N. tetrasperma* from the eight-spored *Neurospora* species, ascus development was reprogrammed with the result that each of the four large ascospores is heterokaryotic, containing nuclei of both mating types, and germlings are self-fertile. Unique features of genome organization, cell biology, and population structure have attracted investigators to use this pseudohomothallic, four-spored species for a wide range of studies. A bibliography listing 164 publications was published in 1994 in Fungal Genetics Newsletter 41:72-78. Eighty-six additional publications are listed here. In addition to recent papers, these include some theses, abstracts, and papers that were omitted from the previous list.

-
- Adhvaryu K.K., and R. Maheshwari. 2002. Heterogeneity in NTS of rDNA in localized populations of *Neurospora*. *Curr. Sci.* 82:1015-1020.
- Agarwal, C. P., and R. K. S. Chauhan. 1976. *Neurospora tetrasperma*: New record of its occurrence in Indian soil and its cellulolytic activity. *Proc. Indian Nat. Sci. Acad., Part B: Biol. Sci.* 42:122-124.
- Ardizzi, J. P., and A. M. Srb. 1981. “E-like” ascospore excision mutants in *Neurospora tetrasperma* resistant to either *p*-DL-fluorophenylalanine or methyl benzimidazol-2-yl carbamate. *Neurospora Newslett.* 28:6.
- Arganoza, M. T., J. Min, Z. Hu, and R. A. Akins. 1994. Distribution of seven homology groups of mitochondrial plasmids in *Neurospora*: Evidence for widespread mobility between species in nature. *Curr. Genet.* 26:62-73.
- Attoh, G. T. 1986. Ribosomal DNA systematics of homothallic species of *Neurospora*: A phylogenetic analysis. Ph.D. thesis, Howard University: Diss. Abstr. Intl. 47-10B:4060.
- Belmans, D. L., A. J. van Laere, and J. A. van Assche. 1983. Effect of n-alcohols and high pressure on the heat activation of *Neurospora tetrasperma* ascospores. *Arch. Microbiol.* 134:49-51.
- Bennett, S. M., and H. B. Howe, Jr. 1977. Development of the sexual cycle in *Neurospora tetrasperma*. *Assoc. Southeast Biol. Bull.* 24:36-37. (Abstr.)
- Bhat, A., and D. P. Kasbekar. 2001. Escape from repeat-induced point mutation of a gene-sized duplication in *Neurospora crassa* crosses that are heterozygous for a larger chromosome segment duplication. *Genetics* 157:1581-1590.
- Bistis, G. N. 1996. Trichogynes and fertilization in uni- and bimating type colonies of *Neurospora tetrasperma*. *Fungal Genet. Biol.* 20:93-98.
- Bok, J.-W., and A. J. F. Griffiths. 2000. Possible benefits of kalilo plasmids to their *Neurospora* hosts. *Plasmid* 43:176-180.
- Bok, J.-W., C. He, and A. J. F. Griffiths. 1999. Transfer of *Neurospora* kalilo plasmids among species and strains by introgression. *Curr. Genet.* 36:275-281.
- Buller, A. H. R. 1943. Sex and inheritance of lethal factors in *Neurospora tetrasperma*. Unpublished manuscript deposited in the Library of the Royal Botanic Gardens, Kew. [See G. R. Bisby. 1950. Editor's note in A. H. R. Buller. *Researches on Fungi*, vol.7, p. xv. Univ. Toronto Press.
- Burk, A. G., and S. M. Srb. 1977. Effect of biotin deficiency on formation of ascospores in *Neurospora tetrasperma*. *Genetics* 86:s8-s9. (Abstr.)
- Calhoun, W. F. 1971. Inhibition of perithecial development in *Neurospora tetrasperma*. Ph.D. Thesis, Univ. Georgia. Diss. Abstr. 32:5342-B.
- Calhoun, F., and H. B. Howe, Jr. 1972. Alpha-glucose and beta-glucose utilization by *Neurospora tetrasperma*. *Microbiologica* 5:53-56.
- Cutter, V. M., Jr. 1946. The chromosomes of *Neurospora tetrasperma*. *Mycologia* 38:693-698.
- Debets, A., A. van Mourik, A. J. F. Griffiths, and R. F. Hoekstra. 2001. Stable polymorphism for the kalilo senescence plasmid in Hawaiian populations of *Neurospora*. *Fungal Genet. Newslett.* 48 (Suppl.):62. (Abstr.)
- Dettman, J. R., F. M. Harbinski, and J. W. Taylor. 2001. Ascospore morphology is a poor predictor of the phylogenetic relationships of *Neurospora* and *Gelasinospora*. *Fungal Genet. Biol.* 34:44-61.
- Dettman, J. R., D. J. Jacobson, and J. W. Taylor. 2002. Phylogenetic species recognition in *Neurospora*. *Fungal Genet. Newslett.* 49 (Suppl.):19. (Abstr.)
- Dettman, J. R., and J. W. Taylor. 2003. Microsatellite evolution in *Neurospora*. *Fungal Genet. Newslett.* 50 (Suppl.):144. (Abstr.)
- Dettman, J. R., D. J. Jacobson and J. W. Taylor. 2003. A multilocus geneological approach to phylogenetic species recognition in the model eukaryote *Neurospora*. *Evolution* (accepted subject to revision)
- Dodge, B. O. 1932. The non-sexual and the sexual functions of microconidia of *Neurospora*. *Bull. Torrey Bot. Club* 59:347-360.
- Dodge, B. O. 1939. A new dominant lethal, *E*, in *Neurospora tetrasperma*. *Science* 89:401. (Abstr.)
- Dodge, B. O., J. R. Singleton, and A. Rolnick. 1948. Studies relative to a temporary reversion of *Neurospora tetrasperma* to an 8-spored type. *Science* 108:680. (Abstr.)
- Duran, R., and P. M. Gray. 1989. Nuclear DNA, an adjunct to morphology in fungal taxonomy. *Mycotaxon* 36:205-219.
- Freitag, M., R. L. Williams, G. O. Kothe, and E. U. Selker. 2002. A cytosine methyltransferase homologue is essential for repeat-induced point mutation in *Neurospora crassa*. *Proc. Nat. Acad. Sci. U.S.A.* 99:8802-8807.
- Gallegos, A., D. J. Jacobson, M. P. Skupski, G. Saenz, and D. O. Natvig. 1998. Recombination on the mating-type chromosome in *Neurospora tetrasperma*. *Neurospora 1998* (Asilomar Conference), p.20. (Abstr.)
- Gallegos, A., D. J. Jacobson, N. B. Raju, M. P. Skupski, and D. O. Natvig. 2000. Suppressed recombination and a pairing anomaly on the mating-type chromosome of *Neurospora tetrasperma*. *Genetics* 154:623-633.

- Gilles, A. 1953. Évolution nucléaire chez *Neurospora tetrasperma*. Proc 7th Intern. Bot. Congr. (1950), Stockholm, 432-433. (Abstr.)
- Goddard, D. R. 1935. The reversible heat activation inducing germination and increased respiration in the ascospores of *Neurospora tetrasperma*. J. Gen. Physiol. 19:45-60.
- He, C., N. de Groot, J. W. Bok, and A. J. F. Griffiths. 2000. Kaliilo plasmids are a family of four distinct members with individual global distributions across species. Curr. Genet. 37:39-44.
- Howe, H. B., M. Viswanath Reddy, and S. N. Bennett. 1974. Protoperithecial and polyol mutants of *Neurospora tetrasperma*. Genetics 77:S32. (Abstr.)
- Howe, H. B., M. Viswanath Reddy, and S. N. Bennett. 1975. Polyol non-utilizing mutants of *Neurospora tetrasperma*. Genetics 80:S43. (Abstr.)
- Ito, T., and T. Yokoyama. 1988. Microfungi from soils of bonfire sites at Mt. Daisen, Japan. Trans. Mycol. Soc. Jpn. 29:235-248.
- Jacobson, D. J. 1994. Sexual and vegetative incompatibility as factors controlling reproductive success of the pseudohomothallic fungus *Neurospora tetrasperma*. Abstracts 5th Mycol. Congr., Vancouver, p. 100.
- Jacobson, D. J. 1995. Sexual dysfunction associated with outcrossing in *Neurospora tetrasperma*, a pseudohomothallic ascomycete. Mycologia 87:604-617.
- Johnson, J. W. 1963. Genetic studies of *Neurospora tetrasperma*. M.S. Thesis. Cornell University.
- Lee, S. B. 1990. Molecular evolution of fungi: Mitochondrial inheritance in *Neurospora tetrasperma* and phylogenetics and identification of *Phytophthora* spp. using rDNA. Ph.D. thesis, University of California, Berkeley. Diss. Abstr. Intl. 52-04B:1864.
- Lee, S. B., and J. W. Taylor. 1990. Isolation of DNA from fungal mycelia and single spores. p. 282-287. In: Innis, M. A., et al. (Eds.) PCR Protocols: A Guide to Methods and Applications. Academic Press, San Diego.
- Lee, S. B., and J. W. Taylor. 1993. Uniparental inheritance and replacement of mitochondrial DNA in *Neurospora tetrasperma*. Genetics 134:1063-1075.
- Lewis, M. T., and J. F. Feldman. 1996. Evolution of the *frequency (frq)* locus in ascomycete fungi. Mol. Biol. Evol. 13:1233-1241.
- Lingappa, B. T., and A. S. Sussman. 1958. The endogenous substrates of dormant and germinating ascospores of *Neurospora tetrasperma*. Plant Physiol. 33:x. (Abstr.)
- Lowry, R. J., and A. S. Sussman. 1968. Ultrastructural changes during germination of ascospores of *Neurospora tetrasperma*. J. Gen. Microbiol. 51:403-409.
- Lumley, T. C., S. P. Abbott, and R. S. Currah. 2000. Microscopic ascomycetes isolated from rotting wood in the boreal forest. Mycotaxon 74:395-414.
- Marcinko-Kuehn, M., X. Yang, F. Debets, D. J. Jacobson and A. J. F. Griffiths. 1994. A kaliilo-like linear plasmid in Louisiana field isolates of the pseudohomothallic fungus *Neurospora tetrasperma*. Curr. Genet. 26:336-343.
- Merino, S. T. 1996. Molecular analysis of sexual development genes in two *Neurospora* species (*Neurospora crassa*, *Neurospora tetrasperma*). Ph.D. thesis, University of New Mexico. Diss. Abstr. Intl. 57-10B:6019.
- Merino, S. T., M. A. Nelson, D. J. Jacobson, and D. O. Natvig. 1996. Pseudohomothallism and evolution of the mating-type chromosome in *Neurospora tetrasperma*. Genetics 143:789-799.
- Metzenberg, R. L., and T. A. Randall. 1995. Mating type in *Neurospora* and closely related ascomycetes: Some current problems. Can. J. Bot. 73 (Suppl. 1):S251-S257.
- Nasrallah, J. B., and A. M. Srb. 1978. Immunofluorescent localization of a phase-specific protein in *Neurospora tetrasperma* perithecia. Exper. Mycol. 2:211-215.
- Natvig, D. O., D. J. Jacobson, M. P. Skupski, and A. Gallegos. 1997. Pseudohomothallism and evolution of *Neurospora tetrasperma*. 19th Fungal Genetics Conference, Asilomar, p. 6. (Abstr.)
- Nysterakis, F. 1954. Résistance de *Neurospora tetrasperma* aux fortes doses d'auxine et relation avec l'hypothèse de l'existence des "métabolites antiauxines." Compt. Rend. Acad. Sci. Paris 238:143-145.
- Nysterakis, F. 1955. Obtention de nombreuses souches de *Neurospora tetrasperma* par l'acide indol-b-acétique. Compt. Rend. Acad. Sci. Paris 241:1331-1333.
- Nysterakis, F. 1956. La sensibilité inégale de *Nectria gailigena* et *Neurospora tetrasperma* aux doses d'acides indol-b-acétique serait due à leur capacité différente de synthétiser des corps antagonistes de l'action inhibitrice de l'auxine. Compt. Rend. Acad. Sci. Paris 242:1056-1058.
- Nysterakis, F. 1956. Quelques caractéristiques des souches obtenues à partir de *Neurospora tetrasperma* soumis à l'action de l'acide indol-b-acétique. Compt. Rend. Acad. Sci. Paris 242:1354-1356.
- Nysterakis, F. 1959. Augmentation et diminution dans le temps de la croissance pondérale de *Neurospora tetrasperma* par une seule et même dose d'auxine. Compt. Rend. Acad. Sci. Paris 248:1022-1025.
- Nysterakis, F. 1960. Développement normal sans biotine exogène de quelques souches de *Neurospora tetrasperma*. Compt. Rend. Acad. Sci. Paris 250:1706-1708.
- Nysterakis, F. 1972. Importance de la souche et de la composition du milieu dans la photoinduction d'un rythme circadien de zéonations chez *Neurospora tetrasperma*. Compt. Rend. Acad. Sci. Sér. D. 274:1667-1670.
- Ott, M., and J. Ardizzi. 1989. The effects of griseofulvin on the vegetative growth and sexual phase development of the fungus *Neurospora tetrasperma* Dodge. J. Pennsylvania Acad. Sci. 63:181-185.
- Pandit, A., and R. Maheshwari. 1996. Life history of *Neurospora intermedia* in a sugar cane field. J. Bioscience 21:57-79.
- Perkins, D. D., 1994 *Neurospora tetrasperma* bibliography. Fungal Genet. Newslett. 41:72-78.
- Perkins, D. D., 1994 *Neurospora tetrasperma* helper strains using the gene *E*. Fungal Genet. Newslett. 41:71.
- Plesofsky-Vig, N., A. Paulson, E. P. Hill, L. Glaser, and R. Brambl. 1992. Heat shock gene expression in germinating ascospores of *Neurospora tetrasperma*. FEMS Microbiol. Letters 90:117-122.
- Pöggeler, S. 1999. Phylogenetic relationships between mating-type sequences from homothallic and heterothallic ascomycetes. Curr. Genet 36:222-231.

- Powell, A., 2001. Non-self recognition and population biology in *Neurospora tetrasperma*, a pseudohomothallic ascomycete. Ph.D. thesis, University of New Mexico. Diss. Abstr. Intl. 62-06B:2589.
- Powell, A. J., G. S. Saenz, J. G. Stam, D. J. Jacobson, and D. O. Natvig. 1999. Allelic diversity at the *het-c* locus of *Neurospora tetrasperma* poses an evolutionary dilemma. Fungal Genet. Newslett. 46 (Suppl.):87. (Abstr.)
- Powell, A. J., D. J. Jacobson, and D. O. Natvig. 2001. Allelic diversity at the *het-c* locus of *Neurospora tetrasperma* confirms outcrossing in nature and poses an evolutionary dilemma for pseudohomothallic ascomycetes. J. Mol. Evol. 52:94-102.
- Powell, A. J., D. J. Jacobson, L. Salter, and D. O. Natvig. 2003. Variation among natural isolates of *Neurospora* on small spatial scales. Mycologia (in press).
- Raju, N. B., and D. J. Jacobson. 1999. Incomplete chromosome pairing is correlated with a recombination block on the mating-type chromosome of *Neurospora tetrasperma*. Fungal Genet. Newslett. 46 (Suppl.):87. (Abstr.)
- Raju, N. B., and D. D. Perkins. 1994. Diverse programs of ascus development in pseudohomothallic species of *Neurospora*, *Gelasinospora* and *Podospira*. Develop. Genet. 15:104-118.
- Raju, N. B., and D. D. Perkins. 1999. Programmed ascospore death in the homothallic ascomycete *Coniochaeta tetraspora*. Fungal Genet. Newslett. 46 (Suppl.):88. (Abstr.)
- Raju, N. B., and D. D. Perkins. 2000. Programmed ascospore death in the homothallic ascomycete *Coniochaeta tetraspora*. Fungal Genet. Biol. 30:213-221.
- Raju, N. B., and A. G. Burk. 2001. The genetic basis of abnormal ascospore morphology in *Neurospora*. Fungal Genet. Newslett. 48 (Suppl.):142. (Abstr.)
- Randall, T. A., and R. L. Metzenberg. 1995. Species-specific and mating type-specific DNA regions adjacent to mating type idiomorphs in the genus *Neurospora*. Genetics 140:119-136.
- J.P. Ramussen, A.H. Taylor, L.-J. Ma, S. Purcell, F. Kempken, and D.E.A Catcheside. 2003. *Guest*, a transposable element belonging to the Tc1/mariner superfamily is an ancient invader of *Neurospora* genomes. Fungal Genet. Biol. (Submitted)
- Saenz, G. S., J. G. Stam, D. J. Jacobson, and D. O. Natvig. 2001. Heteroallelism at the *het-c* locus contributes to sexual dysfunction in outcrossed strains of *Neurospora tetrasperma*. Fungal Genet. Biol. 34:123-129.
- Saenz, G. S., D. J. Jacobson, W. D. Dvorachek, and D. O. Natvig. 2003. Sympatric biological and phylogenetic species among pseudohomothallic isolates identified as *Neurospora tetrasperma*. Fungal Genet. Newslett. 50 (Suppl.):144. (Abstr.)
- Shiu, P. K. T., 2000. Mating-type-associated vegetative incompatibility in *Neurospora crassa*. Ph.D. thesis, University of British Columbia. Diss. Abstr. Intl. 62-01B:29.
- Shiu, P. K. T., and N. L. Glass. 2000. Cell and nuclear recognition mechanisms mediated by mating type in filamentous ascomycetes. Curr. Opin. Microbiol. 3:183-188.
- Shiu, P. K. T., N. B. Raju, D. Zickler, and R. L. Metzenberg. 2001. Meiotic silencing by unpaired DNA. Cell 107:905-916.
- Skupski, M. P., D. A. Jackson, and D. O. Natvig. 1997. Phylogenetic analysis of heterothallic *Neurospora* species. Fungal Genet. Biol. 21:152-161.
- Taylor, J. W., G. May, and D. O. Natvig. 1983. Homology among mitochondrial plasmids of *Neurospora tetrasperma* and *Neurospora intermedia*. Mycol. Soc. Am. Newslett. 34:37.
- Thompson-Coffe, C., G. Borioli, D. Zickler, and A. L. Rosa. 1999. Pyruvate decarboxylase filaments are associated with the cortical cytoskeleton of asci and spores over the sexual cycle of filamentous ascomycetes. Fungal. Genet. Biol. 26:71-80.
- Turian, G. and M. Viswanath-Reddy. 1971. Metabolic and ultrastructural aspects of sexual differentiation in *Allomyces* and *Neurospora*. J. Indian Bot. Sci., Golden Jubilee Vol. 50A:78-89.
- Turner, B. C., and D. D. Perkins. 2001. *Neurospora* from natural populations: A global study. Fungal Genet. Biol. 32:67-92.
- Viswanath-Reddy, M. 1972. Aspects of protoperithecial morphogenesis in *Neurospora*. Thèse No. 1590, Université de Genève.
- Viswanath-Reddy, M., and G. Turian. 1972. Temperature-induced synchronous differentiation of ascogonia in *Neurospora*. Experientia 28:99-100.
- Weaver, M. A. 1971. A quantitative study of heterokaryosis and hybridization in *Neurospora tetrasperma*. M. Sc. Thesis, Univ. of Birmingham, U.K. 54 p.