

Improved plasmids for gene targeting at the his-3 locus of *Neurospora crassa* by electroporation: Correction

B S. Margolin
University of Oregon

M Freitag

E U. Selker

Follow this and additional works at: <http://newprairiepress.org/fgr>

Recommended Citation

Margolin, B. S., M. Freitag, and E.U. Selker (2000) "Improved plasmids for gene targeting at the his-3 locus of *Neurospora crassa* by electroporation: Correction," *Fungal Genetics Reports*: Vol. 47, Article 29. <https://doi.org/10.4148/1941-4765.1225>

This Corrections is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

Improved plasmids for gene targeting at the his-3 locus of *Neurospora crassa* by electroporation: Correction

Abstract

Two mistakes in our article on gene replacement by gene targeting at the his-3 locus (Margolin, B.S. et al., 1997, FGN 44:34-36) have come to our attention.

Creative Commons License



This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

Corrections

Improved plasmids for gene targeting at the *his-3* locus of *Neurospora crassa* by electroporation: correction

Margolin, B.S., Freitag, M. and Selker, E.U. – Institute of Molecular Biology, University of Oregon, Eugene, OR 97403, USA

Two mistakes in our article on gene replacement by gene targeting at the *his-3* locus (Margolin, B.S. *et al.*, 1997, FGN 44:34-36) have come to our attention. First, conditions for electroporation are reported incorrectly. Electroporation of conidia is performed at 1.5 kV in a 0.2 cm cuvette resulting in a voltage gradient of 7.5 kV/cm (rather than 1.5 kV/cm as stated in the article). Second, Fig. 1B refers to pBM60 rather than pBM61; updated maps are available on the FGSC website. We regret the inconvenience these mistakes have caused.