Neurospora mating type symbol mt revised to mat

N. L. Glass

University of British Columbia

C. Staben

University of Kentucky

Follow this and additional works at: <https://newprairiepress.org/fgr>

This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

Recommended Citation

Glass, N. L., and C. Staben (1997) "Neurospora mating type symbol mt revised to mat," *Fungal Genetics Reports*: Vol. 44, Article 24. <https://doi.org/10.4148/1941-4765.1292>

This Short Papers is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

Neurospora mating type symbol *mt* revised to *mat*

Abstract

After discussion with members of the *Neurospora* genetics community, we propose to revise the symbol designating the mating type locus from *mt* to *mat*.

Neurospora mating type symbol *mt* revised to *mat*

N. Louise Glass¹ and Chuck Staben² - ¹Biotechnology Laboratory, University of British Columbia, Vancouver, BC V6T 1Z3 and ²T.H. Morgan School of Biological Sciences, University of Kentucky, Lexington, KY 40506-0225.

After discussion with members of the Neurospora genetics community, we propose to revise the symbol designating the mating type locus from *mt* to *mat*. This revision conforms with usage in yeast and in other filamentous fungi. To specify the details of this nomenclature:

mat: the mating type locus

mat a, *mat A*: alternate idiomorphs that normally occupy the *mat* locus

mat a-1: the only known gene within the *mat a* idiomorph

mat A-1, *mat A-2*, *mat A-3*: the known genes within the *mat A* idiomorph

MAT a-1, MAT A-1, MAT A-2, MAT A-3: polypeptide products of the known mating type genes.

The symbol *mat* has previously been used for a morphological mutant in linkage group IVR, isolation No. B54. We now propose to change the symbol and name of the B54 mutant to *rug*, and this has been agreed on by authors of the Neurospora compendium. The change should cause little confusion because the B54 mutant has not been used except as a marker and little or nothing has been published on it beyond the original brief description.