Kansas Agricultural Experiment Station Research Reports

Volume 2
Issue 8 *Swine Day*

Article 43

January 2016

Foreword and Supplemental Information, Swine Day

R. D. Goodband
Kansas State University, Manhattan, goodband@k-state.edu

M. D. Tokach
Kansas State University, Manhattan, mtokach@k-state.edu

S. S. Dritz
Kansas State University, Manhattan, dritz@k-state.edu

See next page for additional authors

Recommended Citation

Goodband, R. D.; Tokach, M. D.; Dritz, S. S.; DeRouchey, J. M.; and Woodworth, J. C. (2016) "Foreword and Supplemental Information, Swine Day," *Kansas Agricultural Experiment Station Research Reports*: Vol. 2: Iss. 8. https://doi.org/10.4148/2378-5977.1320

Foreword and Supplemental Information, Swine Day

Abstract

It is with great pleasure that we present the 2016 Swine Industry Day Report of Progress. This report contains updates and summaries of applied and basic research conducted at Kansas State University during the past year. We hope that the information will be of benefit as we attempt to meet the needs of the Kansas swine industry.

Keywords

swine

Authors

R. D. Goodband, M. D. Tokach, S. S. Dritz, J. M. DeRouchey, and J. C. Woodworth

Foreword

It is with great pleasure that we present the 2016 Swine Industry Day Report of Progress. This report contains updates and summaries of applied and basic research conducted at Kansas State University during the past year. We hope that the information will be of benefit as we attempt to meet the needs of the Kansas swine industry.

2016 Swine Day Report of Progress Editors

Bob Goodband, Mike Tokach, Steve Dritz, Joel DeRouchey, and Jason Woodworth

Standard Abbreviations

ADG	=	average daily gain	Mcal	=	megacalorie(s)
ADF	=	acid detergent fiber	ME	=	metabolizable energy
ADFI	=	average daily feed intake	mEq	=	milliequivalent(s)
AI	=	artificial insemination	min	=	minute(s)
avg	=	average	mg	=	milligram(s)
bu	=	bushel	mL	=	cc (cubic centimeters)
BW	=	body weight	mm	=	millimeter(s)
cm	=	centimeter(s)	mo	=	month(s)
CP	=	crude protein	MUFA	=	monounsaturated fatty acid
CV	=	coefficient of variation	N	=	nitrogen
cwt	=	100 lb	NE	=	net energy
d	=	day(s)	NDF	=	neutral detergent fiber
DE	=	digestible energy	NFE	=	nitrogen-free extract
DM	=	dry matter	ng	=	nanogram(s), .001 Fg
DMI	=	dry matter intake	no.	=	number
F/G	=	feed efficiency	NRC	=	National Research Council
ft	=	foot(feet)	ppb	=	parts per billion
ft^2	=	square foot(feet)	ppm	=	parts per million
g	=	gram(s)	psi	=	pounds per square inch
µg	=	microgram(s), .001 mg	PUFA	=	polyunsaturated fatty acid
gal	=	gallon(s)	SD	=	standard deviation
GE	=	gross energy	sec	=	second(s)
h	=	hour(s)	SE	=	standard error
HCW	=	hot carcass weight	SEM	=	standard error of the mean
in	=	inch(es)	SEW	=	segregated early weaning
IU	=	international unit(s)	SFA	=	saturated fatty acid
kg	=	kilogram(s)	UFA	=	unsaturated fatty acid
kcal	=	kilocalorie(s)	wk	=	week(s)
kWh	=	kilowatt hour(s)	wt	=	weight(s)
lb	=	pound(s)	yr	=	year(s)

K-State Vitamin and Trace Mineral Premixes

Diets listed in this report contain the following vitamin and trace mineral premixes unless otherwise specified.

- Trace mineral premix: Each pound of premix contains 10 g Mn, 33 g Fe, 33 g Zn, 5 g Cu, 90 mg I, and 90 mg Se.
- Vitamin premix: Each pound of premix contains 1,600,000 IU vitamin A, 400,000 IU vitamin D3, 8,000 mg vitamin E (dl-œ-tocopherol acetate or 4,000 mg d-œ-tocopherol acetate), 800 mg menadione, 1,500 mg riboflavin, 5,000 mg pantothenic acid, 15,000 mg niacin, and 7 mg vitamin B12.
- Sow add pack: Each pound of premix contains 100,000 mg choline, 40 mg biotin, 300 mg folic acid, 400 mg pyridoxine, 4,000 mg Vit E (dl-œ-tocopherol acetate or 2,000 mg d-œ-tocopherol acetate), 9,000 mg L-carnitine, and 36 mg Cr.

Note

Some of the research reported here was carried out under special U.S. Food and Drug Administration (FDA) clearances that apply only to investigational uses at approved research institutions. Materials that require FDA clearances may be used in the field only at the levels and for the use specified in that clearance.

Biological Variability and Chances of Error

Variability among individual animals in an experiment leads to problems in interpreting the results. Animals on treatment X may have higher average daily gains than those on treatment Y, but variability within treatments may indicate that the differences in production between X and Y were not the result of the treatment alone. Statistical analysis allows us to calculate the probability that such differences are from treatment rather than from chance.

In some of the articles herein, you will see the notation "$P < 0.05$." That means the probability of the differences resulting from chance is less than 5%. If two averages are said to be "significantly different," the probability is less than 5% that the difference is from chance, or the probability exceeds 95% that the difference resulted from the treatments applied.

Some papers report correlations or measures of the relationship between traits. The relationship may be positive (both traits tend to get larger or smaller together) or negative (as one trait gets larger, the other gets smaller). A perfect correlation is one (+1 or -1). If there is no relationship, the correlation is zero.

In other papers, you may see an average given as 2.5 ± 0.1. The 2.5 is the average; 0.1 is the "standard error." The standard error is calculated to be 68% certain that the real average (with unlimited number of animals) would fall within one standard error from the average, in this case between 2.4 and 2.6.

Using many animals per treatment, replicating treatments several times, and using uniform animals increase the probability of finding real differences when they exist. Statistical analysis allows more valid interpretation of the results, regardless of the number of animals. In all the research reported herein, statistical analyses are included to increase the confidence you can place in the results.

Index of Key Words

Acknowledgments

Appreciation is expressed to these organizations for assisting with swine research at Kansas State University.

Abilene Animal Hospital, Abilene, KS

Ajinomoto Heartland LLC, Chicago, IL

Dave and Lois Baier, Abilene, KS

BASF Corporation, Florham Park, NJ

Biomin USA, San Antonio, TX

DNA Genetics, Columbus, NE

DSM Nutritional Products, Parsippany, NJ

Elanco Animal Health, Indianapolis, IN

Farmland Foods LLC, Crete, NE

Feedlogic Corporation, Willmar, MN

Hamlet Proteins, Findlay, OH

Haverkamp Brothers, Bern, KS

Holden Farms, Northfield, MN

Hubbard Feeds, Mankato, MN

ILC Resources, Urbandale, IA

International Ingredient Corporation, St. Louis, MO

JYGA Technologies, St. Nicolas, Quebec, Canada

Kalmbach Feeds, Upper Sandusky, OH

Kansas Pork Association, Manhattan, KS

Kansas Swine Alliance, Abilene, KS

Kemin Industries, Inc., Des Moines, IA

Lesaffre Yeast Corporation, Milwaukee, WI

Livestock and Meat Industry Council, Manhattan, KS

Micronutrients, Indianapolis, IN

Midori USA, Cambridge, MA

National Pork Board, Des Moines, IA

Natural Foods Holdings, Sioux City, IA

New Fashion Pork, Jackson, MN

New Horizon Farms, Pipestone, MN

Novus International, St. Charles, MO

Nutraferma, Dakota Dunes, SD

Nutraquest, Mason City, IA

Pancosma North America, Drumondville, Quebec, Canada

PIC USA, Hendersonville, TN

Purco, Edgerton, MN

Thomas Livestock Company, Broken Bow, NE

Trouw Nutrition USA, Highland IL

Triumph Foods, St. Joseph, MO

United Sorghum Checkoff Program, Lubbock, TX

USDA National Institute of Food and Agriculture, Washington, D.C.

Zinpro Corp., Eden Prairie, MN

Zoltenko Farms Inc., Hardy, NE

We especially appreciate the assistance and dedication of Kansas State University employees Duane Baughman, Frank Jennings, Mark Nelson, Chance Fiehler, Caitlin Evans, Ashton Yoder, and Theresa Rathbun.

Appreciation is also expressed to: Allan Morris, Heath Houselog, Marty Heintz, Craig Steck, and Bob Taubert, New Horizon Farms, Pipestone, MN, for their dedicated support.

Appreciation is expressed to Triumph Foods LLC, St. Joseph, MO, and Jerry Lehenbauer, David Donovan, Ann Smith, Brad Knadler, and Brittany Kimler for technical assistance.

Swine Industry Day Committee

The Livestock and Meat Industry Council, Inc.

The Livestock and Meat Industry Council, Inc. (LMIC) is a nonprofit charitable organization supporting animal agriculture research, teaching, and education. This is accomplished through the support of individuals and businesses that make LMIC a part of their charitable giving.

Tax-deductible contributions can be made through gifts of cash, appreciated securities, real estate, life insurance, charitable remainder trusts, and bequests as well as many other forms of planned giving. LMIC can also receive gifts of livestock, machinery, or equipment. These types of gifts, known as gifts-in-kind, allow the donor to be eligible for a tax benefit based on the appraised value of the gift.

Since its inception in 1970, LMIC has provided student scholarships, research assistance, capital improvements, land, buildings, and equipment to support students, faculty, and the industry of animal agriculture. If you would like to be a part of this mission or would like additional information, please contact the Livestock and Meat Industry Council/Animal Sciences and Industry, Weber Hall, Manhattan, Kansas 66506 or call 785-532-1227.

LMIC Board Members

Kyle Bauer
David Clawson
Doug Deets
Mark Gardiner
Craig Good
Ken Grecian
Frank Harper
Roy Henry
Patsy Houghton
Virgil Huseman
Justin Janssen
Mark Knight
Kelly Lechtenberg
Steve Mangan
Bill Miller
Lisa Moser
Stanton O'Neil
Rich Porter
Tom Toll
Warren Weibert

Royal Board Members

Dell Allen
Jerry Bohn
Richard Chase
Calvin Drake
Stan Fansher
Galen Fink
Randy Fisher
Lyle Gray
Sam Hands
Bernie Hansen
Greg Henderson
Steven Hunt
Steve Irsik
Larry Jones
Kenny Knight
Pat Koons
Jan Lyons
Gina Miller
Andrew Murphy
Tom Perrier
Phil Phar
Harland Priddle
Lee Reeve
Don Smith
Ken Stielow
Mikel Stout
Kathleen Strunk
Duane Walker