

## Deviations from 1:1 and numbers of progeny necessary for establishing linkage

David D. Perkins  
*Stanford University*

Follow this and additional works at: <http://newprairiepress.org/fgr>

---

### Recommended Citation

Perkins, D. D. (1994) "Deviations from 1:1 and numbers of progeny necessary for establishing linkage," *Fungal Genetics Reports*: Vol. 41, Article 20. <https://doi.org/10.4148/1941-4765.1382>

This Regular Paper is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact [cads@k-state.edu](mailto:cads@k-state.edu).

---

# Deviations from 1:1 and numbers of progeny necessary for establishing linkage

## **Abstract**

We have found the following table useful when assigning new genes to linkage groups, either with Parental:Recombinant random isolates or with Parental ditype:Nonparental ditype tetrads. The ratios for total numbers through 50 are from Perkins, D.D. 1953 *Genetics* 38:187-197, and were extracted from tables in Warwick, B.L. *Texas Agric. Exper. Sta. Bull.* 463:1-28. The ratios for total numbers from 51-100 were obtained using binomial probability paper (Mosteller, F., and J.W. Tukey. *J. Amer. Stat. Assoc.* 44:174-212).

## **Creative Commons License**



This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

# Deviations from 1:1 and numbers of progeny necessary for establishing linkage

*D.D. Perkins, Department of Biological Sciences, Stanford University, Stanford CA 94305-5020.*

We have found the following table useful when assigning new genes to linkage groups, either with Parental:Recombinant random isolates or with Parental ditype:Nonparental ditype tetrads. The ratios for total numbers through 50 are from Perkins, D.D. 1953 *Genetics* 38:187-197, and were extracted from tables in Warwick, B.L. *Texas Agric. Exper. Sta. Bull.* 463:1-28. The ratios for total numbers from 51-100 were obtained using binomial probability paper (Mosteller, F., and J.W. Tukey. *J. Amer. Stat. Assoc.* 44:174-212).

## Smallest numerical ratios showing significant deviation in one direction from 1 : 1

Total numbers	Ratios		
	5%	2.5%	1%
5	5:0		
6	6:0	6:0	
7	7:0	7:0	7:0
8	7:1	8:0	8:0
9	8:1	8:1	9:0
10	9:1	9:1	10:0
11	9:2	10:1	10:1
12	10:2	10:2	11:1
13	10:3	11:2	12:1
14	11:3	12:2	12:2
15	12:3	12:3	13:2
16	12:4	13:3	14:2
17	13:4	13:4	14:3
18	13:5	14:4	15:3
19	14:5	15:4	15:4
20	15:5	15:5	16:4
21	15:6	16:5	17:4
22	16:6	17:5	17:1
23	16:7	17:6	18:5
24	17:7	18:6	19:5
25	18:7	18:7	19:1
Total numbers	Ratios		
	5%	2.5%	1%
26	18:8	19:7	20:6
27	19:8	20:7	20:7
28	19:9	20:8	21:7
29	20:9	21:8	22:7
30	20:10	21:9	22:1
31	21:10	22:9	23:8
32	22:10	22:10	23:9
33	22:11	23:10	24:9
34	23:11	24:10	25:9
35	23:12	24:11	25:10
36	24:12	25:11	26:10
37	24:13	25:12	26:11

38	25:13	26:12	27:11
39	26:13	27:12	28:11
40	26:14	27:13	28:12
41	27:14	28:13	29:12
42	27:15	28:14	29:13
43	28:15	29:14	30:13
44	28:16	29:15	31:13
45	29:16	30:15	31:14

Total	Ratios		
numbers	5%	2.5%	1%
46	30:16	31:15	32:14
47	30:17	31:16	32:15
48	31:17	32:16	33:15
49	31:18	32:17	34:15
50	32:18	33:17	34:16
51	33:18		
52	33:19		
53	34:19		
54	34:20		
55	35:20		
56	35:21		
57	36:21		
58	36:22		
59	37:22		
60	38:22		
61	39:22		
62	39:23		
63	39:24		
64	40:24		

Total	Ratios
numbers	5%
65	40:25
66	41:25
67	41:26
68	42:26
69	43:26
70	43:27
71	44:27
72	44:28
73	45:28
74	45:29
75	46:29
76	46:30
77	47:30
78	47:31
79	48:31
80	49:31
81	49:32
82	50:32
83	50:33
84	51:33
85	51:34
86	52:34
87	52:35
88	53:35
89	54:35
90	54:61

91	55:61
92	55:37
93	56:37
94	56:38
95	57:38
96	57:39
97	58:39
98	58:40
99	59:40
100	59:41

Numerical ratios are those attaining the one-sided significance level shown in percent.