

The first published scientific study of *Neurospora*, including a description of photoinduction of carotenoids

David D. Perkins
Stanford University

Follow this and additional works at: <http://newprairiepress.org/fgr>

Recommended Citation

Perkins, D. D. (1991) "The first published scientific study of *Neurospora*, including a description of photoinduction of carotenoids," *Fungal Genetics Reports*: Vol. 38, Article 12. <https://doi.org/10.4148/1941-4765.1458>

This Regular Paper is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in *Fungal Genetics Reports* by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

The first published scientific study of *Neurospora*, including a description of photoinduction of carotenoids

Abstract

In the warm, moist summer of 1842, bread from army bakeries in Paris was spoiled by massive growth of an orange mold. A commission was set up by the minister of war to investigate the cause of the infestation and to make recommendations. Their report (Payen 1843) includes a colored plate which shows mycelia, conidia and colonies of the "Champignons rouges du pain" (called *Oidium aurantiacum*). I have translated one passage which concerns the effects of illumination:

Creative Commons License



This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

The first published scientific study of *Neurospora*, including a description of photoinduction of carotenoids

D.D. Perkins - Department of Biological Sciences, Stanford University, Stanford, CA 94305-5020

In the warm, moist summer of 1842, bread from army bakeries in Paris was spoiled by massive growth of an orange mold. A commission was set up by the minister of war to investigate the cause of the infestation and to make recommendations. Their report (Payen 1843) includes a colored plate which shows mycelia, conidia and colonies of the "Champignons rouges du pain" (called *Oidium aurantiacum*). I have translated one passage which concerns the effects of illumination:

"With the object of determining if the coloration was due to light, even extremely dim, we attempted to exclude light completely by putting a piece of bread in a glass flask containing 10 grams of water. The flask was surrounded by black paper and enclosed in a vessel of half-centimeter thick bronze.

Development of the fungus was a little less abundant than on a piece of the same bread that was exposed to light under conditions that were otherwise identical. Under the first conditions, the fungi remained completely white for more than eight days (see figure b), whereas the illuminated fungi, figure a, a', were covered with red spores. But, remarkably, the white fungi became colored when they were exposed to light for two hours."

The 1843 report names Léveill , Montagne and Decaisne as scientists concerned with identifying the organism, while de Mirbel and one of the scientific members of the commission (Dumas, Pelouze or Payen) were concerned with microscopic and chemical analysis. Montagne (1843) independently published a drawing of the same orange fungus with a Latin description under the name *Penicillium sitophilum*.

Thermal tolerance of *Neurospora* was also studied at about this time (see Payen 1858, 1859). The orange spores survived 100 C for one hour and exposure to 120 C for an unspecified period. They were killed, however, at 140 C. These results were cited by Louis Pasteur (1861) in a paper reporting that mold spores could survive dry heat at 120 C to 125 C for at least an hour whereas viability was lost in a few minutes if the spores were heated in water at 100 C. These observations were relevant to the controversy then current regarding spontaneous generation.


Montagne, C. 1843. Quatri me centurie de plantes cellulaires exotiques nouvelles. Ann. Sci. Nat. Bot. 2e S r. 20:352-379 (+ one plate).

Payen, A. (rapporteur) 1843. Extrait d'un rapport adress    M. Le Mar chal Duc de Dalmatie, Ministre de la Guerre, Pr sident du Conseil, sur une alt ration extraordinaire du pain du muniton. Ann. Chim. Phys. 3e S r. 9:5-21 (+ one plate).

Payen, A. 1848. Températures qui peuvent supporter les spoules de l'*Oidium aurantiacum* sans perdre leur faculté végétative. *Compt. Rend. Acad. Sci.* 27:4-5.

Payen, A. 1859. [Untitled discussion following remarks of M. Milne Edwards rejecting spontaneous generation of animalcules.] *Compt. Rend. Acad. Sci.* 48:29-30.

Pasteur, L. 1862. L'influence de la température sur la fécondité des spores de Mucédinées. *Compt. Rend. Acad. Sci.* 52:16-19.



Excerpt from Plate 1 of Payen (1843). The original plate is in color. a. Colonies of the red-orange fungus *Oidium aurantiacum* as they appear to the naked eye in the cavities of infected bread. a'. A similar colony cut in two, showing in the red area a thick layer composed of innumerable small spores formed at the end of radiating filaments. The latter are yellowish white. b. Similar colonies that have grown up completely in the dark, with the result that the red color has not developed. b'. One of the colonies in b seen after exposure to light for one hour.

Color begins to appear and then pigmentation progresses rapidly. c. Branching filament, about 150 x. g". Spore treated successively, under the microscope, with a dilute solution of potassium hydroxide, and aqueous alcoholic solution of iodine, then with gradually more concentrated solutions of sulfuric acid. This acid, which separates parts of the cellulose envelope that contains less nitrogenous substance, results in a blue color turning to purple, which is characteristic of the state intermediate between cellulose and dextrin. i. Normal vegetative growth as seen with the naked eye; well developed, especially under conditions of high humidity. k'. Termini of well developed filaments, showing spores and young cells.