

Simple plate cross technique

B. C. Lamb

Follow this and additional works at: <http://newprairiepress.org/fgr>

Recommended Citation

Lamb, B. C. (1966) "Simple plate cross technique," *Fungal Genetics Reports*: Vol. 10, Article 11. <https://doi.org/10.4148/1941-4765.2001>

This Technical Note is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact cads@k-state.edu.

Simple plate cross technique

Abstract

Simple plate cross technique

Creative Commons License



This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

Lamb, B.C. A simple plate cross technique.

The following method has been used successfully for plate crosses of a number of wild type and mutant strains. It provides large numbers of perithecia with fairly well synchronized development; dehiscent spores can easily be collected on the plate lid or an apposed surface.

Westergaard and Mitchell minimal reproductive medium, supplemented if necessary, in 9 cm. petri dishes is dried at 30° for about 7 days. 1 ml. of conidial suspension of the protoperithecial parent is spread evenly with a bent glass rod on each plate and incubated for 7 days. About 3 ml. of conidial suspension of the conidiating parent are then spread evenly over each protoperithecial culture. The plates are then incubated at the required temperature.

Approximately 5×10^5 freshly-grown conidia/ml. have been used but conidial density need not be accurately adjusted. Excessive aerial mycelium is best removed from protoperithecial cultures before adding the conidial suspension. Temperatures of incubation from 17.5 to 27.5 C. have been used satisfactorily but the optimum initial period of drying of the medium varies with temperature of incubation and also with the protoperithecial strain used. ■ ■ ■ Genetics Laboratory, Department of Botany, University of Bristol.