

# Kansas Agricultural Experiment Station Research Reports

---

Volume 0  
Issue 1 *Cattleman's Day* (1993-2014)

Article 1252

---

1978

## Feeding Monensin to yearling cattle on summer grass

E.F. Smith

R. Pruitt

Jack G. Riley

L. Corah

*See next page for additional authors*

Follow this and additional works at: <https://newprairiepress.org/kaesrr>

 Part of the [Other Animal Sciences Commons](#)

---

### Recommended Citation

Smith, E.F.; Pruitt, R.; Riley, Jack G.; Corah, L.; and Owensby, Clenton E. (1978) "Feeding Monensin to yearling cattle on summer grass," *Kansas Agricultural Experiment Station Research Reports*: Vol. 0: Iss. 1. <https://doi.org/10.4148/2378-5977.2655>

This report is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Kansas Agricultural Experiment Station Research Reports by an authorized administrator of New Prairie Press. Copyright 1978 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned. K-State Research and Extension is an equal opportunity provider and employer.



---

# Feeding Monensin to yearling cattle on summer grass

## **Abstract**

The feed additive, Monensin, was self-fed in a feed block to yearling cattle on summer pasture. Consumption of the block (0.29 lb. daily) supplied 116 mg. of Monensin daily, which failed to improve the cattle's performance.

## **Keywords**

Cattlemen's Day, 1978; Report of progress (Kansas State University. Agricultural Experiment Station); 320; Beef; Monensin; Yearling cattle

## **Creative Commons License**

This work is licensed under a [Creative Commons Attribution 4.0 License](#).

## **Authors**

E.F. Smith, R. Pruitt, Jack G. Riley, L. Corah, and Clenton E. Owensby

---

**K****S****U**

## Feeding Monensin to Yearling Cattle on Summer Grass

E. F. Smith, Richard Pruitt, Jack Riley,  
Larry Corah, and Clenton Owensby

---

### Summary

The feed additive, Monensin, was self-fed in a feed block to yearling cattle on summer pasture. Consumption of the block (0.29 lb. daily) supplied 116 mg. of Monensin daily, which failed to improve the cattle's performance.

### Introduction

During the 1976 summer, Monensin was included in a feed block and offered free choice to yearling steers grazing summer bluestem pasture. The gain was 0.28 lb. more per steer daily compared to other steers receiving a feed block without Monensin.

This experiment repeated the 1976 trial.

### Experimental Procedure

We randomly allotted 35 Hereford, Angus, and crossbred steers into two groups with one Hereford heifer in each group. Half the animals in both groups were implanted with Ralgro; half, with 30 mg. Stilbestrol, and each group grazed a 60-acre native bluestem pasture from April 27 to September 30, 1977. They had available in covered boxes commercial feed blocks<sup>1</sup> composed primarily of cane molasses; soybean meal, 20%; salt, 16-20%; and other feed ingredients. One group had Monensin added to the feed block at 400 mg. per pound. All animals were gathered the first of each month, penned overnight without feed or water, weighed the next morning, and rotated between pastures each month.

### Results and Discussion

Gain was the same for both groups; average feed block intake was the same, 0.29 lb. per head daily, or 116 mg. of Monensin per head daily. We cannot explain the difference in performance during the 1976 trial (when gain was increased with Monensin) and this trial. Late summer gains in 1977 were better than usual due to late summer rains.

---

<sup>1</sup>Feed blocks supplied by A. E. Staley Mfg. Co., Decatur, IL, whose support is greatly appreciated.