

INDEX

A

- Abrasion resistance – 219
 - ceramics – 128, 130, 131
 - paint – 67, 68
 - plastic – 190, 192
 - stone – 92
 - textile, 139, 141, 142, 143, 147
 - wallcovering – 78, 79
 - wood – 98,
- Access – 156, 172, 210, 222
- Accessibility – 33, 37, 38, 39, 224
- Acclimatizing – 98, 99, 108, 110, 115,
- Acoustic – 47, 48, 49, 50, 51, 52
 - concerns – 224, 225
 - engineer – 206
 - glass – 124, 127
 - gypsum – 74
 - performance – 41
 - textile – 145, 155, 162, 164
 - wallcovering - 79
- Acrylic – 17, 142, 183, 187, 188, 189, 198, 203
 - fiber – 142, 143
 - latex – 70, 133
 - paint – 70
 - resin – 110
 - sealer – 95
 - sunlight – 17
- Acrylonitrile butadiene styrene, ABS – 184, 200
- Adhesive – 45, 59, 60, 156, 157, 158, 172, 187, 196, 220, 223
- Aggregate – 82, 84, 86, 90, 201
- Air quality – 41, 42, 55, 62, 64
- Alloy – 167, 171, 175, 178, 184, 201
- Alkaline – 16, 83, 87, 140, 178, 179, 192
- Alkyd – 68, 70, 78
- Alpaca – 140
- Aluminum – 15, 19, 58, 88, 125, 167, 168, 170, 178, 179, 201
- American National Standards Institute, ANSI – 34
- American Association of Textile Chemists and Colorists, AATCC – 149
- American Society for Testing materials, ASTM International – 34, 35, 61

American Soc. of Heating, Refrigerating, and Air-Cond. Eng., ASHRAE – 41
Americans with Disabilities Act, ADA – 33, 38
Anchor – 95
Annealing
 glass – 123, 124
 metal – 169
Anodize – 173
Antimicrobial – 102, 103, 140, 180
Antimony – 193
Aramid – 143, 193
Architectural Barriers Act, ABA – 38
Area rug – 101, 140
Arsenic – 44, 62, 180
Asbestos – 43, 44, 62, 141, 191, 222
Asbestosis – 43
Association for Contract Textiles, ACT – 137
Attenuation – 50, 52, 124
Axminster weave – 153

B

Backing – 72, 74, 78, 81, 127, 130, 153, 155, 158
Backer board – 132
Backorder – 221
Bacteria – 59, 63, 95
Bakelite – 11, 183
Bamboo – 20, 56, 97, 140
Bark – 102, 151
Baseboard – 133, 203
Basecoat – 75
Batting
 acoustic – 48, 49, 52
 upholstery – 160
Ballpark estimate – 211
Bauxite – 178
Bedding – 162
Beech – 105, 109, 116
Bessemer conversion – 12, 175
Binder – 66, 68, 69, 73
Bioaccumulation – 55, 56
Biodegradable – 56, 59, 63, 139, 187, 192
Biodiversity – 97, 226
Biomagnification – 56
Bioplastic – 186, 187, 201
Birch – 105, 109, 116
Bisphenol A – 45, 185, 188, 193, 196
Blackout shade – 37, 164
Blast furnace – 174, 175
Bleach – 101, 103
Bleed – 75, 78, 101
Blind – 163, 179
Bolting – 171
Book matching
 veneer – 114
 stone – 93
Border – 20, 24, 156
Brick – 8, 9, 87, 88, 89
 bonding types – 88, 89
Broadloom – 155, 156, 158, 189, 215
Bronze – 167, 179, 180
Brushed – 23, 172, 176
Budget – 67, 162, 171, 211, 214, 219, 220, 221
Building code – 32, 33, 38, 72
Bullnose – 127
Burl – 98, 99, 114

C

Cabinetry – 60, 70, 118, 181
Calendering – 136, 198
Calcium
 carbonate – 9, 67, 71
 chloride – 84
 sulfate – 67
California Technical Bulletin – 37
California Air Resources Board – 45
Carbon
 dioxide, as CO₂ – 55, 56, 57, 60, 83, 97, 185
 monoxide, as CO – 37
 steel – 175
Carcinogen – 43, 44, 45, 46, 68, 77, 141, 180, 185

Carpet – 152, 153, 154
 backing – 140, 155
 construction – 152, 153, 154
 manufacturing – 142, 152
 installation – 155, 156, 157, 158
 pad – 140, 155, 157, 195
 recycling – 156, 157
 tile – 49, 60, 155, 156, 158
Carpet and Rug Institute, CRI – 156
Carpet Stewardship Program – 157
Casework – 8, 108, 116, 117, 189, 208
Cashmere – 141
Casters – 41, 60
Cedar – 107
Ceiling – 35, 43, 48, 52, 69, 71, 181, 203, 214, 218
 tile – 42, 52, 181
Cement – 9, 35, 73, 82, 83, 85, 133, 178,
Cementitious
 material – 86
 paste – 87
Ceramic – 9, 51, 95, 128, 129, 130, 131, 132, 134
Chain-of-custody – 97
Chatoyancy – 107
Cherry – 15, 104, 106, 112
Chestnut – 108
Chintz – 147
Chrome plating – 20, 173, 180, 181
Chromium – 44, 125, 150, 151, 173, 175, 180
 trivalent – 151, 180
 hexavalent – 44, 173, 180
Cigarette – 37
Cinder block – 87
Cladding – 20, 130, 168, 173, 181
Clay – 9, 67, 82, 87, 88, 128, 129, 130
Closed-loop – 55, 137, 226
Coefficient of Friction, COF – 38, 131, 132
Coffered ceiling – 48
Colorway – 146
Column cover – 176, 210
Composite – 8, 12, 115, 200, 201, 202
Compressed earth block, CEB – 88
Compression – 13, 14, 120, 176
Compression molding – 199
Concrete
 flooring – 51
 polished – 85, 87
 precast – 86
 reinforced – 14, 51, 83, 86, 176, 201
 translucent – 9
Concrete Masonry Unit, CMU – 87, 95
Coniferous – 107
Copper – 8, 15, 167, 168, 178, 179, 180
Cork – 56, 102, 103, 202
Cornice – 1164
Corrosion – 168, 172, 173, 175, 178, 181, 224
 galvanic – 168,
Corrugated – 176, 177
Construction type – 33, 34
Cost estimation – 211, 212, 213
Cotton – 77, 139, 140, 142, 143, 227
Cradle-to-Cradle, C2C – 62, 64
Crimped – 1139, 142, 143, 152
Cullet – 58
Cupping – 99, 219
Curtain – 37, 49, 50, 147, 164
Cyanide – 55, 180, 195

D

Daylight – 17, 24, 69, 162
Decibel, dB – 48
Deciduous – 97
Decking – 102, 107, 110, 118
 metal – 176
Deforestation – 11, 55, 56, 57, 71, 97, 140, 141, 187, 226
Delaminate – 81, 132, 155, 191, 205
Demolition – 44, 61, 77, 102, 167, 188, 207, 213
 waste – 71
Denier – 138, 139
Denim – 144
Diffuser – 49

Dimensional
lumber – 96, 100
stability – 78, 79, 98, 99, 103, 153, 157, 187, 200
stone – 90
Dioxin – 46, 193
Discoloration – 204
Divider – 51, 52
strip – 86, 133
Dome – 9, 83, 87
Drapery – 147, 149, 163, 164, 223
Drywall – 71, 72, 74, 75
Duct – 52
Dyeing
carpet – 155
leather – 151
textile – 145, 147, 148
Dye-lot number – 80

E

Earthenware – 128, 130
Eco-labels – 62, 63, 64
Ecosystem – 55, 63, 178
Elasticity – 15, 70, 142, 193, 194
Elastomer – 186
Electroplating – 173, 181
Embodied energy – 55, 58, 61, 226
brick – 88
stone – 90
wood – 97
engineered wood – 116
glass – 122
ceramic – 129
steel – 175
aluminum – 178
plastic – 184
PVC – 191
Embossing – 80, 123, 133, 150, 151, 152, 181, 191
Enamel – 173
Endocrine disruptor – 44, 77
Energy Star – 63
Engineered
stone – 92, 204
veneer – 108, 113, 114
wood – 34, 45, 96, 115, 116, 118
Environmental Movement – 54
Environmental impact
aluminum – 178
ceramic – 129
concrete – 83
leather – 150
plastics – 184
stone – 90
wood – 97
Environmental Protection Agency, EPA – 41, 44, 62, 63
Epoxy – 195, 196
resin – 45, 183, 202
Estimation – 211, 212, 213
Ethylene-vinyl acetate, EVA – 124
Exotic woods – 97, 101, 107, 113
Extrusion
metal – 175
plastic – 198
Expansion joint – 17, 84, 85, 86, 133

F

Fabric – 136, 137, 138, 139
construction – 148, 149
weight – 147
Fading – 78, 98, 103, 122, 149
Faux finish – 76
Faux leather – 191
Felt – 136, 145, 155
Ferrous Metals – 173, 174
Fiber
filament – 138, 139, 140, 148, 152
natural – 139, 140, 141
staple – 138, 139, 141
synthetic – 141, 142, 143
Fiberglass – 72, 74, 93, 201

Fieldstone – 92
Figuring – 98, 105
Fire safety – 35, 36, 37
Fire-rated – 124
Fire resistance – 35, 36, 46, 68, 72, 143, 173, 184
Flame retardant – 37, 46, 62, 146
Flagstone – 92
Flanking – 51, 52, 225
Flash coving – 189, 190
Flax – 139, 140, 191
Flitch – 113
Float glass – 58, 121, 122, 123, 125
Floating
screed – 84
slat – 48
Flocked wallpaper – 77
Fly Ash – 15, 59, 82
Foam
aluminum – 14, 179
glass – 123
polyurethane, PU – 37, 46, 160, 186, 195
Foil – 170, 173
Foil-backed gypsum board – 72
Forest Stewardship Council, FSC – 97
Formaldehyde – 11, 45, 62, 115, 196, 197, 204, 222
Fossil fuel – 55, 56
Frieze – 154
Frit – 126, 173
Frost resistance – 87
Frosted glass – 126
Fungal – 78, 98, 99, 134
Furniture – 37, 46, 109, 112, 116, 160, 161, 162, 208
frame – 162
upholstered – 34, 37, 160, 162
Furring – 52

G

Genetically modified – 56, 187
Gilding – 180
Glass – 9, 10, 12, 58, 121, 122, 123, 124, 125, 126, 127, 128
Glass fiber reinforced
concrete – 86
plaster – 74
plastic – 182, 193
Glaze – 128, 130, 131
Glazing – 9, 35, 121, 123, 127, 128
Gothic – 10
Grain – 14, 15, 30, 75, 85, 98, 99, 101
open – 101, 106, 111
tight – 101, 104
Grasscloth – 77, 79
Greige goods – 146
Green Building Certification – 56, 61
Greenhouse effect – 122
Greenhouse gas – 55, 57, 62, 141
Greenwashing – 63
Grout – 16, 94, 95, 130, 131, 133, 134
Growth rings – 98, 99
Gum Arabic – 68, 69
Gypsum – 50, 71, 72, 73, 81

H

Hand – 144
Handrail – 19, 35
Hardwood – 97
Hardboard – 118
Heartwood – 98, 103, 104, 105, 106, 107, 109
Heating, ventilation, air-conditioning, HVAC – 42, 63
Hemp – 49, 140
High density polyethylene, HDPE – 182, 189, 198
High efficiency particulate air filter, HEPA filter – 42
High-pressure laminate, HPL – 205
Hickory – 102, 104, 105
Hide – 150, 151
Honeycomb – 179, 201
Honing – 94, 172
Humidity – 16, 45, 72, 84, 98, 109, 140
Hygroscopic – 98, 140
Hypoallergenic – 139, 140, 197

I

Igneous – 91, 92
Impact insulation class, IIC – 51
Impact resistance – 72, 102, 123, 124, 128, 193, 205
Indoor air quality, IAQ – 41
Insect
 attack – 140
 resistance – 142
Insulation – 15, 49, 57, 83, 84, 121, 149, 163, 189, 192, 195, 201
International Building Code, IBC – 33, 38
International Code Council, ICC – 33
International Green Construction Code, IgCC – 61
Iron – 10, 125, 174, 175

J

Jabot – 164
Jacquard loom – 144, 145
Janka hardness rating – 101
Joint compound – 73, 75
Jute – 140

K

Kerfing – 72, 109, 118, 203
Kiln drying – 108
Knitting – 144, 145
Knot – 14, 75, 101, 102, 106, 107

L

Lacquer – 111, 112, 115
Laminate – 45, 115, 117, 196, 204, 205, 228,
Latex – 10, 52, 70, 133, 192
Lath – 73, 74, 133
Lathe – 170
Life-cycle assessment, LCA – 55, 156
Lead – 44, 62, 77, 121, 129, 180, 222
Leadership in Energy and Env. Design, LEED – 61, 62, 63, 64, 65, 225
Leather – 149, 150, 151, 152, 190, 191, 202
Limestone – 9, 82, 83, 91, 94, 123
Linen – 37, 140, 147, 162
Liner – 78, 81
Linoleum – 22, 56, 191, 192, 202
Linseed oil – 118, 191
Local materials – 55
Loom – 10, 144, 145, 155
Lucite – 183, 187
Lumber – 96, 99, 100, 102, 107, 108, 110
Luster – 22, 23, 138, 139, 145, 166, 167

M

Magnesium – 167, 178, 180
Magnetism – 80, 173, 178
Mahogany – 8, 104, 106, 107, 110
Maple – 104, 111
Marble – 8, 15, 24, 86, 90, 92
Martindale abrasion test – 147, 219
Masonry – 87, 94, 95
Medium density fiberboard, MDF – 15, 115, 116, 117, 118, 222
Melamine – 11, 45, 115, 196, 197
Membrane – 86, 133
Mercerizing – 138, 145
Metal – 166, 167, 168, 169
 casting – 169, 174, 179
 corrugated – 176, 177, 201
 plating – 173, 180, 181
Metallic – 167, 181,
Metalloid – 167
Metamorphic – 91, 91, 204
Methane – 57, 141, 194
Methenamine pill test – 36
Microfiber – 138, 143
Microplastics – 59, 184, 185
Mildew – 19, 42, 68, 72, 78, 130, 140, 192
Mineral – 23, 82, 90, 92, 139, 141
Mineral streak – 102, 106
Mirror – 121, 122, 125

Miter – 109
Mohair – 141
Moisture – 15, 16, 17
 absorption – 83, 142
 exposure – 15, 72, 73, 84, 130, 132, 148, 224
 resistance – 44, 88, 116, 146
 resistant – 72, 110, 205
Mold – 16, 19, 42, 43
 resistant – 72
Molding – 11, 13,
 blow – 193, 197, 199
 ceramic – 128
 compression – 199
 injection – 13, 197, 198, 199
 over – 199
 rotation – 199, 200
 metal – 174

Moldability – 74, 184, 186
Moldavite – 10, 121
Monomer – 182, 192, 197
Mortar – 86, 87, 89, 95, 132, 133
Mullion – 127
Murano – 121
Mylar – 79, 193

N

National Sanitation Foundation, NSF International – 34, 156, 175, 203
Natural – 10, 16, 27, 71
 fiber – 139, 140, 141, 142
 resource – 54
 rubber – 11, 194
 stone – 90, 91, 92, 93, 95, 203
Nickel – 125, 174, 181
Nickel-sulfide accumulation – 123, 124
Noise reduction coefficient, NRC – 49, 50, 79
Non-ferrous metals – 178
Non-vitreous – 131
Nominal – 100
Nylon – 186, 192
 carpet – 152, 153
 fiber – 142

O

Oak – 97, 101, 102, 103, 104, 108, 111, 116
Occupancy type – 33, 35, 222
Off-gassing – 42, 55, 223
Oil – 184, 185
Olefin
 fiber – 142
 polyolefin – 188, 189
Onyx – 91, 92
Osnaburg – 79
Oxide – 125, 168, 173, 178, 180
Ozone – 122

P

Paint – 66, 67, 68, 70
 application – 68, 69, 74, 75, 214
 disposal – 76
Paneling – 8, 20, 48, 102, 112, 178
Paper – 71, 79, 204, 205
Particleboard – 45, 115, 117, 204
Partition – 51, 52
Passive house standard – 57, 58
Patina – 16, 17, 101, 150, 168, 169, 179, 181
Pattern matching – 80, 93, 94, 114, 161
Paver – 123, 130
Penetrating sealers – 95
Perforation – 49, 150, 179
Petrochemicals – 182
Phenolic – 45, 113, 115, 196
Pigment – 8, 26, 66, 67, 68, 71, 85, 145, 183, 191
Pile – 38, 41, 153, 154, 159, 224
Pilkington – 121
Pill test – 36, 37
Pilling – 140, 142, 145, 148
Pine – 100, 107, 111

Phthalate - 45, 46, 62, 185, 193
Pietra dura - 90
Pitting - 168, 175
Plaster - 71, 73, 74
 board - 71
 of Paris - 73
Plastic laminate - 45, 114, 115, 117, 204, 205
Plasticizers - 85, 183, 184, 185
Plexiglas - 182, 183, 187
Plywood - 45, 105, 114, 116, 196, 203
Polyamide, PA - 142, 143, 192, 193
Polycarbonate, PC - 45, 124, 187, 188
Polyepoxide - 195
Polyester, PE - 143, 193, 203
Polyethylene terephthalate, PET - 59, 193, 194
Polyisoprene - 194
Polylactic acid, PLA - 56, 187
Polymerization - 45, 46, 184
Polymethyl methacrylate, PMMA - 143, 187, 188
Polyolefin - 184, 188, 189
Polypropylene, PP - 142, 184, 188, 200
Polystyrene, PS - 192
Polyurethane, PU - 46, 95, 99, 112, 150, 160, 177, 186, 195
Polyvinyl chloride, PVC - 46, 143, 189
Porcelain - 128, 129, 130, 131, 132
Porcelain Enamel Institute, PEI - 131
Portland cement - 73, 82, 83
Pottery - 9, 128
Powder coating - 16, 147, 173
Pozzolana - 82
Precautionary List - 64
Prefinished - 72
Pre-weathered - 17, 169, 181, 219
Primer - 75, 81
Printing
 3d - 129, 200
 textile - 146,
 wallcovering - 79, 80

Q

Quarry - 55, 90, 91
Quarrying - 71, 83, 90, 91
Quarry tile - 130
Quartz - 45, 92, 120, 203, 204
Quartzite - 204
Quenching - 169

R

Radiant panel test - 36,
Railing - 30, 124
Railroaded application - 161
Rammed earth - 88
Rapidly renewable - 56, 102, 140, 141, 149, 226
Rawhide - 150, 151
Rayon - 142, 143, 183
Reclaimed - 56, 60, 62
 wood - 60, 108
 brick - 88
Reconstituted veneer - 113, 114
Recycling - 58, 59, 60, 61, 225, 227
 aluminum - 178
 carpet - 155, 157
 glass - 122
 gypsum - 71
 leather - 150
 metal - 167
 paint - 76
 plastic - 184, 185, 186
 PVC - 191
 textile - 137
 thermosets - 195
Red List - 62, 63, 64, 222
Red oak - 35, 104
Reflection
 acoustic - 47, 48, 49, 50
 acrylic - 187
 glass - 125, 126
 light - 19, 22, 23, 95
 metal - 172

Regulations - 4, 33, 47, 137, 151, 223
Reinforced concrete - 14, 51, 83, 86, 176
Relief - 27, 47, 80, 118, 131,
Renovation - 44, 61
Resiliency - 127, 139, 190, 202, 219
Resilient
 finish - 51
 flooring - 36, 188, 189, 202
Resin - 183, 185, 186, 198, 199
Resin identification code, RIC - 185, 186
Retting - 139
Re-upholstery - 162
Reuse - 55, 64, 226, 227
Reverberation - 19, 48, 224
Riveting - 171
Room corner test - 36
Rubber - 186, 194, 195, 202, 203
Run-right application - 161
Running bond - 88
Rug - 101, 156
Rust - 108, 177
Rustic - 102

S

Safety glass - 124
Sandblasting - 23, 75, 94, 126,
Sandstone - 91, 94
Sapwood - 98, 102, 103, 104, 105, 106, 107, 109, 112, 113
Satin
 metal finish - 172
 laminate - 204
 sheen - 69
weave - 144
Scrim - 79
Sealant - 98,
Sealer - 78, 79
 glass - 127, 128
 grout - 134
 topical - 95
 penetrating - 95
Seam slippage - 144, 148
Security
 film - 193
 glass - 124, 125, 188
Sedimentary - 91, 94
Selvage - 148
Semi-vitreous - 131
Shade - 163
Shading coefficient - 162
Sheen - 23, 69, 73, 111, 112, 204
Sheep - 140, 141, 149
Shellac - 111, 112
Shelving - 60
Shop drawings - 210
Shop-sawn veneer - 113
Shrinkage - 106, 145, 146
Shutter - 162, 163
Sidelight - 73
Silica - 10, 67, 82, 123, 128, 197
Silicone - 95, 127, 186, 187, 194, 197
Silk - 138, 139, 140, 141
Silkworm - 140, 141
Silver - 15, 125, 169, 180, 181,
 fiber - 143
Sink - 64, 76, 176, 184, 203
Sizing - 81
Skim coating - 73, 74, 75
Skylight - 188
Slate - 92
Slip resistance - 38, 85, 94, 132, 156, 194, 210, 224
Smolder resistance - 37
Soda ash - 123
Softwood - 97, 107, 116, 117,
Soiling - 154, 202, 227
Solid surface - 45, 203, 204, 223
Solid wood - 96, 97, 98, 99, 100, 102
Solution dyeing - 145
Sound
 attenuation - 50, 52, 124
 absorption - 48, 49, 50, 155, 163, 164

transmission – 50, 51, 124
Sound transmission coefficient, STC – 48, 52, 224, 225
Specification – 208, 209, 210, 216
Speech intelligibility – 48, 52, 224, 225
Speech privacy – 52, 225
Springs – 161
Sprinkler – 35, 36, 222
Stain resistance – 78, 79, 87, 145, 146
Stained glass – 10, 121
Stairs – 86, 124, 132, 157
Standards – 16, 32, 34,
Steel – 11, 12, 167, 168, 174, 175, 176, 177, 180, 181, 201
stainless – 16, 167, 168, 172, 175, 176, 180
Steiner tunnel test – 35
Stitches per inch – 148, 154
Stoneware – 128, 130
Stucco – 73
Styrofoam – 192
Subfloor – 84, 86, 95, 102, 116, 132
Suede – 150
Suspended ceiling – 52
Sustainable
design – 54, 55
thinking – 12, 20, 60

T

Tack strip – 157
Tanning – 149, 150, 151, 180
Teak – 16, 102, 107
Teflon – 182
Tempering
glass – 123, 128
metal – 169
Tension – 13, 14
Tensile force – 120, 200
Terracotta – 130
Terrazzo – 16, 86, 87
Tesserae – 121
Tex – 138
Texture – 20, 21, 22, 27, 28, 29, 47, 68, 104, 105, 144,
Thermal
bridge – 30, 43, 78, 223
comfort – 62
expansion – 133, 176
insulation – 15, 43, 49, 149
Thermoplastic – 186, 197, 198, 200
Thermoset – 11, 186, 194, 195, 197
Thickset installation – 95, 133
Thinset installation – 95, 133
Third-party
testing – 34
verification – 64
Tile Council of North America, TNCA – 34, 131, 132, 133
Tile
carpet – 49, 60, 155, 156, 158
leather – 152
Timber – 12, 107, 160
cross-laminated, CLT – 97, 117
Tin – 167, 179, 181
Titanium – 167, 170, 180, 181
Topcoat – 42, 71, 75, 101, 111, 152, 176
Toxicity – 35, 41, 45, 55, 68, 70, 178, 185
Travertine – 20, 91, 92, 95, 204, 219
Trim – 35, 41, 70, 74, 102, 117,
Trim strip – 159
Tufted – 153, 154
Twill weave – 144
Twist pile – 154
Twisting – 137, 138, 139, 143
Type-X gypsum board – 72

U

Urea-formaldehyde – 45, 117, 196, 197
Underlayment – 51, 102, 116, 118, 155
Underwriters Laboratories, UL – 34, 35, 36, 63
Universal design – 37, 39, 224
Upholstery – 160, 161, 162
Ultraviolet – 120, 122
UV resistance – 140, 142, 143, 164, 184, 187, 219

V

Valance – 164
Vapor barrier – 132
Varnish – 16, 111, 112
Velvet – 19, 78
Veneer
reconstituted – 113, 114
stone – 95
wood – 98, 77, 112, 113, 114, 115
Vertical ignition test – 37
Vinyl –
asbestos tile, VAT – 191
composition tile, VCT – 189, 190
Vitreous – 128, 131
Volatile organic compounds, VOC – 42, 45, 56, 63, 64, 210, 223
carpet – 156, 157, 158
paint – 68, 70
plastic – 196, 197
wood – 110, 112, 115

W

Wallboard – 73
Wallcovering – 73, 77, 78, 79, 80, 81
Wallpaper – 27, 28, 44, 77, 80, 213, 214, 215
Walnut – 103, 106, 110
Warp – 144
Warping – 17, 99, 106, 108, 109, 115, 219
Water resistance – 72, 112, 116, 130, 132, 197
Wax – 101, 111, 112
Weave – 144, 148
carpet – 152, 153
Webbing – 160, 161
Wert – 144
Welding
metal – 170, 171, 172
plastic – 190, 200
Wheelchair – 37, 39, 219
Wilton weave – 153
Window treatment – 37, 137, 162, 163, 165, 208, 218
Wire mesh – 74, 123
Wood finish – 111
Wood flooring – 51, 101, 104, 110, 227
Wool – 19, 56
fiber – 140, 141, 142, 152, 153
Woven – 136, 137, 144, 145
Wrought iron – 174
Wyzenbeek abrasion test – 147, 219

Y

Yarn – 138, 139, 145, 148, 152, 153, 154

Z

Zinc – 167, 168, 176, 181