

# Studies of the lethal effect and photoreversibility of ultraviolet radiation.

J. D. Graham

J. H. Morrison

Follow this and additional works at: <http://newprairiepress.org/fgr>

---

### Recommended Citation

Graham, J. D., and J.H. Morrison (1966) "Studies of the lethal effect and photoreversibility of ultraviolet radiation.," *Fungal Genetics Reports*: Vol. 10, Article 25. <https://doi.org/10.4148/1941-4765.2015>

This Neurospora in Teaching is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact [cads@k-state.edu](mailto:cads@k-state.edu).

---

# Studies of the lethal effect and photoreversibility of ultraviolet radiation.

## **Abstract**

Studies of the lethal effect and photoreversibility of ultraviolet radiation.

## **Creative Commons License**



This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

Graham, J. D. and J. H. Morrison. Studies of the lethal effect and photoreversibility of ultraviolet radiation.

Ultraviolet light is one of the most widely studied mutagenic agents. Its mechanism of action has been demonstrated to be a multiple one, consisting of both the formation of photoreversible thymine dimers within the DNA molecule and other, non-reversible alterations of the molecule. This experiment will be carried out both in the dark, thus avoiding photoreactivation, and in the light. When ultraviolet irradiation is carried out in the presence of white light, a considerable portion of the genetic damage induced is repaired through the photoreactivation process.

The second half of the experiment is carried out in almost complete darkness, so it is essential that the students plan and organize the work in advance. Equipment which will be needed during the blocked-out phase should be laid out on the work table in a logical order so that it will not be misplaced.

The student will be furnished a *Neurospora* culture which has a heavy conidial growth. Suspend the conidia in sterile water by tapping the side of the tube with the index finger. Filter the suspension through a very thin sterile cotton pad into a centrifuge tube to remove the mycelium. Centrifuge the filtered conidial suspension for 10 minutes. Pour off the supernatant and wash the conidia with sterile water, centrifuge and resuspend in sterile water. Determine the concentration of the conidia with a haemocytometer and adjust with sterile water to  $5 \times 10^6$  cells/ml. Irradiate the cells in a petri dish at 50 cm from a 15-watt germicidal lamp for 5 minutes, agitating the suspension constantly while irradiating. Withdraw aliquots at 0, 30, 60, 90, 120 and 300 seconds, diluting each aliquot 10x with *Neurospora* minimal broth (Difco). Thus, each sample will have been diluted 10 times upon withdrawal from the dish. The platings of each sample, for scoring of survivors, should be as follows: plate 1 ml of the following dilutions,  $1 \times 10^{-4}$ ,  $5 \times 10^{-3}$ ,  $1 \times 10^{-3}$ ,  $5 \times 10^{-2}$ ,  $1 \times 10^{-2}$ ,  $1 \times 10^{-2}$  and  $1 \times 10^{-1}$ , respectively for the exposure times given above. Pipette the sample into a sterile petri dish and add 10 ml of *Neurospora* agar (Difco) which has been supplemented with 8 g of sorbose to induce colony formation. The agar should be liquid but not painfully hot to the touch and should be adequately swirled. Incubate the plates right side up at room temperature.

The procedure above should be followed during the second phase of the experiment, except that the lab should be made completely dark to guard against photoreactivation. A yellow safelight bulb may be used, if necessary and if kept at least five feet from the work area.

Construct a graph of survival rate against length of irradiation for *Neurospora* in both light and dark. Discuss the photoreactivation effect and the effects of ultraviolet light as a mutagenic agent.

- - - Department of Biological Sciences, Kent State University, Kent, Ohio 44240.